Name	Adm No	
Class	Date	
233/1		
Chemistry		
Paper 1		
2 hours		

KCSE TOP PREDICTION MASTER CYCLE 4

Instructions to candidates


- (a)Write your name and index number in the spaces provided above.
- (b) Sign and write the date of examination in the spaces provided above
- (c) Answer ALL the questions in the spaces provided in the question paper
- (d) KNEC Mathematical tables and electronic calculators may be used for calculations
- (e) All working MUST be clearly shown where necessary
- (f) This paper consists of 12 printed pages
- (g) Candidates should check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing
- (h) Candidates should answer the questions in English

FOR EXAMINER'S ONLY

QUESTION	MAXIMUM	CANDIDATES
	SCORE	SCORE
1-28	80	

Compiled and Distributed by Kenya Educators Consultancy, P.O.BOX 15400-00500, Nairobi.

Tel 0724333200 E-mail <u>kenyaeducators@gmail.com</u>. ORDER MARKING SCHEMES AT



Tel 0724333200 E-mail <u>kenyaeducators@gmail.com</u>. ORDER MARKING SCHEMES AT

4. When air is bubbled through pure water (pH 7), the pH drops to 6.0.Explain (2mks)..... 5. Explain why iron III chloride is fairly soluble in methylbenzene while Magnesium chloride is insoluble. (2 mks)..... 6.Describe how a solid sample of Lead(II) Chloride can be prepared using the following Reagents:Dilute Nitric Acid, Dilute Hydrochloric Acid and Lead Carbonate. (*3marks*) 7.50cm³ of Carbon (IV) Oxide diffuses through a porous plate in 15 seconds. Calculate the time taken by 75cm³ of Nitrogen (IV) Oxide to diffuse through the same plate under similar conditions. (C = 12, 0 = 16, N = 14)(2marks) **8.(a).**Carbon (IV) oxide is bubbled through Calcium hydroxide until there is no further change. Explain using equations the changes observed. (2 marks) (b) Explain why diamond is used in cutting of glass and drilling. (1 *mark*)

9.Study the table for certain properties of substances A, B, C and D.

Melting point ⁰ c	Solubility in water	Electrical conduct
-119 ⁰ c	Soluble	Solution does not conduct
1020 ⁰ c	Soluble	Solution conducts
1740 ⁰ c	Insoluble	Doesn't not conduct
1600 ⁰ c	Insoluble	Conducts at room temperature
	-119 ⁰ c 1020 ⁰ c 1740 ⁰ c	-119°cSoluble1020°cSoluble1740°cInsoluble

Which of the substances A, B, C and D:

(4 mks)

(i) Is a metal

Compiled and Distributed by Kenya Educators Consultancy, P.O.BOX 15400-00500, Nairobi.

Tel 0724333200 E-mail <u>kenyaeducators@gmail.com</u>. ORDER MARKING SCHEMES AT

(ii)	Has a simple molecular structure
(iii)	Has a giant ionic structure
(iv)	Has a giant covalent structure

10. A compound G reacts with 2 moles of bromine to form another compound whose structural formula is.

H Br Br H | | | | H-C- C-C-C-H | | | | H Br Br H


i) What is the formula and name of compound G (2 *marks*)

ii) State the observations made when acidified potassium chromate (VI) is added to compound G

(1 mark)

.....

11.Study the set-up below and answer the questions that follow



Compiled and Distributed by Kenya Educators Consultancy, P.O.BOX 15400-00500, Nairobi. Tel 0724333200 E-mail <u>kenyaeducators@gmail.com</u>. ORDER MARKING SCHEMES AT

(d) State and explain two observations made when hydrogen sulphide is bubbled through a solution containing iron (III) chloride. (2mks)

.....

12. Aluminium (III) chloride sublimes. Explain why this is possible. (2mks)

.....

13. The table below shows the solubility of a substance at various temperatures. Study it and answer the questions that follow.

Temperature (⁰ C)	Solubility in g/100g of water
0	36
40	30
80	25
110	20

(a)What is the meaning of solubility?

(1 mark)

(1 mark)

(*1mark*)

(b)What is the physical state of the substance?


.....

(c)State and explain what would happen if a sample of a saturated solution of thesubstance at

 40° C was heated to 110° C.

.....

14.Study the chart below and answer the questions that follow.




(a) Name:


Compiled and Distributed by Kenya Educators Consultancy, P.O.BOX 15400-00500, Nairobi. Tel 0724333200 E-mail <u>kenyaeducators@gmail.com</u>. ORDER MARKING SCHEMES AT

- (i) Cations present in mixture X. (1mark)
 -
- (ii) Anions present in the solution. (1mark)
- (b) Write an equation to show how the white precipitate in step III is formed. (1mark)
-

15. Study the diagram below and answer the questions



16.The scheme below was used to prepare a cleansing agent. Study it and answer the questions that follow.




Compiled and Distributed by Kenya Educators Consultancy, P.O.BOX 15400-00500, Nairobi. Tel 0724333200 E-mail <u>kenyaeducators@gmail.com</u>. ORDER MARKING SCHEMES AT www.kenyaeducators.co.ke or Contact 0724333200/0768321553/0795491185

17. Nitrates of metals A, B, C were heated and the products of the reactions recorded in the table below.

A Metal nitrate and oxygen B Free metal, nitrogen (IV) Oxide and oxygen gas a) Name two possible identities of metal A. a) Name two possible identities of metal A. b) Name two possible identities of metal B c) Calcium nitrate is one of the nitrate which forms the products in C. Using chemical equation show how the products are formed. c) Calcium nitrate is one of the nitrate which forms the products in C. Using chemical equation show how the products are formed. 18. State and explain what happens to the masses of the following substances when they are separately heated in open crucibles ; (i) (i) Sulphurpowder iii) Sulphurpowder iii) Sulphurpowder iiii) Sulphurpowder iiii) Sulphurpowder iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii		Nitrate of metal	Prod	ucts		
B Free metal, nitrogen (IV) Oxide and oxygen gas C Metal oxide, nitrogen (IV) oxide and oxygen gas a) Name two possible identities of metal A. (Imk) b) Name the two possible identity of metal B (Imk) c) Calcium nitrate is one of the nitrate which forms the products in C. Using chemical equation show how the products are formed. (Imk) 18. State and explain what happens to the masses of the following substances when they are separately heated in open crucibles ; (3mks) (i)copper metal (i) Sulphurpowder (ii) Sulphurpowder iii Sulphurpowder 19. The table below gives the first ionization energies of the alkali metals. [ement 1 st ionization energy] a) Define the term ionization energy. (Imk) (Imk)						
C Metal oxide, nitrogen (IV) oxide and oxygen gas a) Name two possible identities of metal A. (Imk) b) Name the two possible identity of metal B (Imk) c) Calcium nitrate is one of the nitrate which forms the products in C. Using chemical equation show how the products are formed. (Imk) 18. State and explain what happens to the masses of the following substances when they are separately heated in open crucibles ; (3mks) (ii) Copper metal (iii) Sulphurpowder (Imk) a) Define the term ionization energy. (Imk) (Imk)		В			nd oxygen gas	
a) Name two possible identities of metal A. (Imk) b) Name the two possible identity of metal B (Imk) c) Calcium nitrate is one of the nitrate which forms the products in C. Using chemical equation show how the products are formed. (Imk) 18. State and explain what happens to the masses of the following substances when they are separately heated in open crucibles ; (3mks) (i)copper metal (ii) Sulphurpowder		С				
b) Name the two possible identity of metal B (1mk) c) Calcium nitrate is one of the nitrate which forms the products in C. Using chemical equation show how the products are formed. (1mk) 18. State and explain what happens to the masses of the following substances when they are separately heated in open crucibles ; (3mks) (i)copper metal (ii) Sulphurpowder 19. The table below gives the first ionization energies of the alkali metals. $ \frac{\overline{Element} 1^{st} ionization energy}{kl \mod 1^{d}} \\ \underline{R} 418 \\ \underline{C} 519 \\ \underline{S} = 10 \\ \underline{S} =$	a)	Name two possil			<u> </u>	(1mk)
c) Calcium nitrate is one of the nitrate which forms the products in C. Using chemical equation show how the products are formed. (<i>1mk</i>) 18. State and explain what happens to the masses of the following substances when they are separately heated in open crucibles ; (<i>3mks</i>) (i)copper metal (ii) Sulphurpowder 19. The table below gives the first ionization energies of the alkali metals. $ \frac{\boxed{Element} \qquad 1^{14} ionization energy}{kJ mol^{14}} \\ \hline{A} \qquad 494 \\ \hline{B} \qquad 418 \\ \hline{C} \qquad 519 \\ } $ a) Define the term ionization energy. (<i>1mk</i>)	/	r r				
c) Calcium nitrate is one of the nitrate which forms the products in C. Using chemical equation show how the products are formed. (<i>1mk</i>) 18. State and explain what happens to the masses of the following substances when they are separately heated in open crucibles ; (<i>3mks</i>) (i)copper metal (ii) Sulphurpowder 19. The table below gives the first ionization energies of the alkali metals. $ \frac{\overline{Element} 1^{st} \text{ ionization energy}}{A 494} \\ B 418 \\ C 519 \\ a) $ a) Define the term ionization energy. (<i>1mk</i>)	••••••	• • • • • • • • • • • • • • • • • • • •	••••			•••••
c) Calcium nitrate is one of the nitrate which forms the products in C. Using chemical equation show how the products are formed. (<i>1mk</i>) 18. State and explain what happens to the masses of the following substances when they are separately heated in open crucibles ; (<i>3mks</i>) (i)copper metal (ii) Sulphurpowder 19. The table below gives the first ionization energies of the alkali metals. $ \frac{\overline{Element} 1^{st} \text{ ionization energy}}{A 494} \\ B 418 \\ C 519 \\ a) $ a) Define the term ionization energy. (<i>1mk</i>)	••••••		•••••			
equation show how the products are formed. (Imk) 18. State and explain what happens to the masses of the following substances when they are separately heated in open crucibles ; (3mks) (i)copper metal (3mks) (ii) Sulphurpowder (100) 19. The table below gives the first ionization energies of the alkali metals. Element 1 st ionization energy $kJ \mod^{1/4}$ $kJ \mod^{1/4}$ (a) Define the term ionization energy. (Imk)	b)	Name the two po	ossible	identity of metal B		(1mk)
equation show how the products are formed. (Imk) 18. State and explain what happens to the masses of the following substances when they are separately heated in open crucibles ; (3mks) (i)copper metal (3mks) (ii) Sulphurpowder (100) 19. The table below gives the first ionization energies of the alkali metals. Element 1 st ionization energy $kJ \mod^{-1}$ $kJ \mod^{-1}$ (a) Define the term ionization energy. (Imk)			•••••			
18. State and explain what happens to the masses of the following substances when they are separately heated in open crucibles ; (3mks) (i)copper metal (ii) Sulphurpowder 19. The table below gives the first ionization energies of the alkali metals.	c)	Calcium nitrate	is one of	of the nitrate which form	s the products in C. U	sing chemical
18. State and explain what happens to the masses of the following substances when they are separately heated in open crucibles ; (3mks) (i)copper metal (ii) Sulphurpowder Image: State and explain what happens to the masses of the following substances when they are (3mks) (ii) Sulphurpowder Image: State and explain what happens to the masses of the following substances when they are (3mks) (ii) Sulphurpowder Image: State and explain what happens to the first ionization energies of the alkali metals. Image: State and explain what happens to the first ionization energy kJ mol ⁻¹ A 494 B 4118 C 519 a) Define the term ionization energy. (1mk)		equation show h	now the	products are formed.		(1mk)
separately heated in open crucibles ; (3mks) (i)copper metal (ii) Sulphurpowder (ii) Sulphurpowder (iii) Sulphurpowder 19.The table below gives the first ionization energies of the alkali metals. Element 1^{st} ionization energy kJ mol ⁻¹ A 494 B 418 C 519 a) Define the term ionization energy. (1mk)						
separately heated in open crucibles ; (3mks) (i) copper metal (ii) Sulphurpowder (ii) Sulphurpowder (iii) Sulphurpowder Image: separately heated below gives the first ionization energies of the alkali metals. Image: separately heated below gives the first ionization energy kJ mol ⁻¹ Image: separately heated in open crucibles ; (3mks) Image: separately heated in open crucibles ; (1mk) Image: separately heated in open crucibles ; (1mk)	18. State ar	nd explain what h	happen	s to the masses of the fol	lowing substances wh	en they are
(i) copper metal (ii) Sulphurpowder 19. The table below gives the first ionization energies of the alkali metals.						
(ii) Sulphurpowder 19. The table below gives the first ionization energies of the alkali metals. $ \frac{\hline Element \qquad 1^{st} ionization energy \\ \hline KJ mol^{-1} \\ \hline A \qquad 494 \\ \hline B \qquad 418 \\ \hline C \qquad 519 \\ \hline a) Define the term ionization energy. (1mk) $		-	iucioic	<i>,</i>	(Smks)
(ii) Sulphurpowder 19. The table below gives the first ionization energies of the alkali metals. $ \frac{\hline Element \qquad 1^{st} ionization energy}{KJ mol^{-1}} \\ \hline A \qquad 494 \\ \hline B \qquad 418 \\ \hline C \qquad 519 \\ \hline a) Define the term ionization energy. (1mk) $	(i)copper n	netal				
19. The table below gives the first ionization energies of the alkali metals.			•••••			
19. The table below gives the first ionization energies of the alkali metals.	(ii) Sulphr	ırpowder				
Element 1^{st} ionization energy kJ mol ⁻¹ A494B418C519	(ii) Suipire	arpo (raor				
Element 1^{st} ionization energy kJ mol ⁻¹ A494B418C519	••••••	• • • • • • • • • • • • • • • • • • • •	•••••			
Element 1^{st} ionization energy kJ mol ⁻¹ A494B418C519						
Element 1^{st} ionization energy kJ mol ⁻¹ A494B418C519	19 .The	table below give	es the f	irst ionization energies o	f the alkali metals	
a) Define the term ionization energy. $(1mk)$	17.110				r the untur metals.	
A494B418C519		Elem	nent			
B 418 C 519 a) Define the term ionization energy. (1mk)						
a) Define the term ionization energy. (1mk)		A	1			
a) Define the term ionization energy. (1mk)		В				
		C				
b) Which of the three metals is the least reactive? Give a reason. (2mks)	a)	Define the term	ionizat	ion energy.		(1mk)
b) Which of the three metals is the least reactive? Give a reason. (2mks)	•••••••		•••••			
	h)	Which of the thr	ree met	als is the least reactive?	Give a reason	(2mks)
	0)	which of the th	ree met			(211113)
	••••••	• • • • • • • • • • • • • • • • • • • •	••••			
	••••••					
Compiled and Distributed by Kenne Educators Consultances DO BOX 15400 00500	Commile	d and Distribu		- Kanara Educatore Ca		
Compiled and Distributed by Kenya Educators Consultancy, P.O.BOX 15400-00500	Compile	ed and Distribu	utea b	-	nsultancy, P.O.BO	X 15400-00500,
Nairobi. Tel 0724333200 E-mail <u>kenyaeducators@gmail.com</u> . ORDER MARKING SCHEME			_			

ĂΤ


20.Study the set-up below and answer questions that follow.



i) Name the gas that is produced when concentrated sulphuric (VI) acid reacts with the

Sodium chloride	(1mark)
ii)Why is it necessary to use a funnel in the beaker?	(1mark)
iii)How does the gas affect the P ^H of the water in the beaker?	(1mark)

21. The flow chart/diagram below outlines a method of preparing a fertilizer



Compiled and Distributed by Kenya Educators Consultancy, P.O.BOX 15400-00500, Nairobi. Tel 0724333200 E-mail <u>kenyaeducators@gmail.com</u>. ORDER MARKING SCHEMES AT www.kenyaeducators.co.ke or Contact 0724333200/0768321553/0795491185 **b**) Explain why the compound Cl₂O has a very low melting and boiling point. (*1 mark*)

.....

.....


23.Ethene reacts with oxygen according to the equation.

 $C_2H_{4(g)} + 3O_{2(g)} \longrightarrow 2 CO_{2(g)} + 2H_2O_{(g)}$

15.0 cm³ of ethene were mixed with 50cm³ of oxygen and mixture was sparked to complete the reaction. If all the volumes were measured at a pressure of one atmosphere and 25^{0} C. Calculate the volume of resulting gaseous mixture. (3 marks)


.....

24. The graph below shows the behavior of a fixed mass of a gas at constant temperature.



(c)State one advantage of hard water.

26.A student set-up the experiment below to collect gas K. The glass wool was heated before



Tel 0724333200 E-mail <u>kenyaeducators@gmail.com</u>. ORDER MARKING SCHEMES AT

(b) Write the general formula of the homologous series to which the compound belongs. (*1mk*)
(c) Draw the structural formula of the third member of this series and give its IUPAC name. (*1mark*)

.....

THIS IS THE LAST PRINTED PAGE

Compiled and Distributed by Kenya Educators Consultancy, P.O.BOX 15400-00500, Nairobi. Tel 0724333200 E-mail <u>kenyaeducators@gmail.com</u>. ORDER MARKING SCHEMES AT <u>www.kenyaeducators.co.ke</u> or Contact 0724333200/0768321553/0795491185